Beambox II

Ultimate Precison, Ready For Your Masterpiece.

FLUX Marketing



Get the Highlights.













55W CO2 High Power 3X Faster Engraving Speed 1.5X Larger Work Area Smart Auto Alignment 5X Faster Camera Preview Built-in Auto Focus




The 55W Laser Upgrade. A Game-Changer.

Beambox II is now upgraded to 55W CO2 Laser, delivering exceptional cutting performance. Now, you can effortlessly cut through 20mm acrylic and 18mm Japanese cypress, whether it's intricate designs or bold creations—precision is guaranteed. Elevate your creative freedom and bring every idea to life without limits.




20 mm Acrylic



18 mm Cypress



Easily Handle 100+ Materials.















Materials	Cutt Regular Power	ing Max Power	Engraving
Black Walnut ¹ (Wood)	11mm	15mm⁴	
Cypress ¹ (Wood)	15mm	18mm⁴	
Plywood ¹ (Wood)	11mm	14mm⁴	
MDF ¹ (Wood)	9mm	12mm⁴	
Marylic Acrylic	15mm	20mm⁴	
Cardboard ²	10mm		
Leather ³	6mm		
Fabric ³	8mm		
Bamboo	10mm		
Cork			
Rubber			
Glass			
Cement			
Stone			
Anodized Metal			
Stainless Steel			(Spray Paint Required)



900mm/s Ultra-Fast Engraving. Triple the Efficiency.

With engraving speeds of up to 900mm/s, accelerating your creations to new heights. This revolutionary upgrade boosts efficiency by three times, making it easier than ever to bring more complex designs to life. Whether it's intricate patterns or large-scale projects, Beambox II quickly and accurately transforms your ideas into reality, pushing the boundaries of creativity.





Larger Working Area, Expanded Creative Space.

Beambox II features an expanded working area of 600 x 375mm, with a depth of 125mm, which can be extended to 215mm with an optional bottom tray. Effortlessly handle larger materials or process multiple items in one go.









Unlock More with Add-ons.












Thoughtfully Designed. Fully Integrated.




One-touch Focus.

With just a taop, autofocus is complete in 2-3 seconds.




5X Faster Preview.

Enjoy quick, accurate previews that keep your workflow smooth and efficient.




Red Light Preview.

OUtlines the engraving area, ensuring perfect alignment.



Honeycomb Design.

Provides Stable support, better ventilation and reducing burn mark.



Touchscreen Control.

From connecting to WiFi to checking work progress, everything is just a tap away.








Learn More About Beam Studio











Auto Fit.

Automatically recognizes the outer frame shape, saving time and effort.

Background Remover. Preset Parameters.

One-click to remove image backgrounds, ideal for portrait and pet photos.

Select fine-tuned cutting and engraving settings for common materials.

Smart Nest.

Save mateiral by selecting multiple elements then one-clcik to organize.

Curated Elements.

Choose from 400 vector elements to kickstart your design journey.



Your Safety. Our Top Priority.



Fully Enclosed Design.

Constructed with a full metal enclosure, the machine stops automatically when the lid is opend.



Immediate Shutdown Button.

An emergecny stop button on the side of the machine instantly halts operation in case of urgent situations.



Beam Air Pro. Triple Protection.

Equipped with a high-quality threelayer filter, including a pre-filter, HEPA filter, and activated carbon filter.



Beambox II Specifications

i Product Spec

```
Laser Spec ----- 55W CO2
              Size ----- 1005 x 334 x 692 mm
            Weight ----- 48.5 kg
Max Engraving Speed ----- 900 mm/s
   Max Acceleration ----- 8000mm/s<sup>2</sup>
         Resolution ----- 1000 DPI
           Display ----- 5" Touchscreen
        Focus Mode ----- Auto Focus
    Laser Alignment ------ Camera Preview / Red Light Preview
       connectivity ----- WiFi / USB / Ethernet (by USB Dongle)
   Operating System ------ Windows / macOS / Linux / ChromeOS / Web (iOS, iPadOS, Android)
          Software ----- Beam Studio / LightBurn
```



Beambox II Specifications

Work Area

Bed Size ----- 630 x 435 mm

Work Area ----- 600 x 375 mm

125 mm (without honeycomb)

Work Area Depth ----- 60 mm (with honeycomb)

215 mm (with Extension Pocket Add-on)

Extension Pocket Area ----- 385 x 210 mm

Passthrough

Depth ----- 14 mm

Width ----- 350 mm



Beambox II Specifications

Roller Rotary

```
Engraving Diameter ----- 8 - 180 mm

Engraving Length ----- 570 mm
```

Example 2 Chuck Rotary

```
Cylinder Diameter ----- 1 - 145 mm

Ring Diameter ----- 11 - 145 mm

Sphere Diameter ----- 25 - 130 mm

Engraving Length ----- 500 mm
```



Bring Your Designs to Life.

Thank You!

FLUX Inc. and any other trademarks, brands, product or service names, logos, text, images etc., contained in this brochure are owned by FLUX Inc. or used under license by its owner(s). All contents are the property of their respective owners and shall not be copied, imitated, or used, in whole or in part, without the prior written consent of FLUX Inc. or the applicable owner(s). FLUX Inc. reserves the right to change the brochure without notice in advance.

© FLUX Inc. All rights reserved.





